

WS09TWS

Smart Series 2.6kW Reverse Cycle Split System





5 Star Heating Energy Star Rating Built in Wi-Fi so you can control your Air Conditioner remotely

Monitor your energy usage with Active Energy Control on the LG ThinQ® app

10 Year Compressor Parts Warranty for peace of mind

SUMMARY



PERFORMANCE

| Cooling Capacity (Rating) | 2.6kW | Heating Capacity (Rating) | 3.2kW |
|---------------------------------------|--------------------------------|---------------------------------------|------------------------------|
| Cooling Capacity Range (min ~ max) | 0.89 ~ 3.70 | Heating Capacity Range (min ~ max) | 0.89 ~ 5.0 |
| Power Input | Cooling: 600kW, Heating: 743kW | Rated Running Current | Cooling: 3.0A, Heating: 3.3A |

| EER Cooling | 4.33 W/W | AEER Cooling | 4.26 W/W |
|---|--|--|----------------|
| COP Heating | 4.31 W/W | ACOP Heating | 4.25 W/W |
| Air Flow Rate (Indoor, Max/H/M/L) | Cooling: 200/183/150/92, Heating: 208/183/150/108 | Indoor Noise (dB(A) ± 3) (Sound Pressure Level¹) (H/M/L/S) | 48/42/37/27/19 |
| Outdoor Noise (dB(A) ± 3) (Sound Pressure Level¹) (H/M/L/S) | Cooling: 49, Heating: 51 | Moisture Removal (l/h) | 1.10 |

MODEL

| Set | WS09TWS | Indoor | WS09TWN |
|---------|---------|--------|---------|
| Outdoor | WS09TWU | | |

TECHNICAL

| Refrigerant Charge | 800g | Refrigerant Type | R32 |
|---|----------------------------|--|--|
| Pre-Charge Lenth | 7.5m | Pipe Run (Min / Max) | 3m/20m |
| Max. Elevation Distance | 10m | Piping Connection Heat Insulation | Both liquid and gas pipes |
| Circuit Breaker Size | 15 Amps | Additional Refrigerant (g/meter) | 20 |
| Refrigerant Control | Electronic Expansion Valve | Outdoor Operating Range (°C DB) | Cooling -15 ~ 48°C, Heating -15 ~ 24°C |
| Outdoor Operating Range (°C WB) | Heating -15 ~ 18° | Pipe Size Connection (Ø) | Liquid: 6.35mm (1/4 inch), Gas: 9.52mm (3/8 inch) |
| Drain Hose Size (O.D/I.D) | 20mm/15mm | Pipe Connection Method (Indoor/Outdoor) | Flared/Flared |
| Outdoor Sound Power Level ² (SWL) | 65 dB(A) | Outdoor Compressor | Twin Rotary |
| Outdoor Condenser | Gold | | |

ENERGY CONSUMPTION

| Energy Rating (Heating) | 5.0 STAR | Energy Rating (Cooling) | 4.5 STAR |
|-------------------------|---------------------|----------------------------------|----------------------------|
| Power Supply | 1Ph, 220~240V, 50Hz | Power Supply Cable | 3 Core + Earth |
| Power Supply to Unit | Outdoor | Power and Communication Cable | 4 x 1.0 (Including Earth) |

DIMENSIONS

| Indoor (WxHxD) | 837 x 308 x 189 mm | Outdoor (WxHxD) | 770 x 545 x 288 mm |
|-----------------|--------------------|------------------|--------------------|
| Indoor (Weight) | 9.1kg | Outdoor (Weight) | 34.1kg |

WARRANTY

Warranty Details

Please see

http://www.lg.com/au/support/warranty